



TASMAN CHEMICALS

"Tasman trusted products"

# MATERIAL SAFETY DATA SHEET

## PRE SEAL

### SECTION 1 – IDENTIFICATION

**Product Name** **PRE SEAL**

**Recommended Use** **Slate Pre Sealant**

**Supplier** TASMAN CHEMICALS PTY LTD  
**ACN :** 005 072 659  
**Street Address** 1-7 Bell Grove, Braeside ,  
Victoria 3195 AUSTRALIA

**Telephone Number** (03) 9587 6777  
**Facsimilie** (03) 9587 5255  
**Email** taschem@taschem.com.au  
**Website** www.tasmanchemicals.com.au

**Emergency Telephone Number** 1 800 334 556

### SECTION 2 – HAZARDS IDENTIFICATION

**Non Hazardous according to criteria of Safe Work Australia.**

**Grout Sealer** is not classified as a **Dangerous Good** according to the Australian Code for the Transport of Dangerous Goods by Road and Rail

### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredient</u>	<u>CAS Number</u>	<u>Proportion (%m/m)</u>
Water	7732-18-5	VH
Fluoroacrylate emulsion	Proprietary	L

**VH>60% H>30-60% M=10-30% L=<10%**

### SECTION 4 – FIRST AID MEASURES

#### First Aid

**Swallowed:** If swallowed **DO NOT** induce vomiting. Give a glass of water to drink. Seek medical assistance or contact the Poisons Information Centre if symptoms persist.

**Eye:** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised by the Poisons Information Centre or a doctor, or for at least 15 minutes

**Skin:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

**Inhaled** Remove victim from further exposure. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable

position. Seek medical attention if effects persist.

### **Advice to Doctor**

Treat symptomatically.

## **SECTION 5 – FIRE FIGHTING MEASURES**

### **Fire/Explosion Hazard**

This material is not combustible under normal conditions. However, it will breakdown under fire conditions and the organic component may burn. Not considered to be a significant fire risk.

Fumes containing carbon dioxide, carbon monoxide and sulfur dioxide may be formed in large fires.

Keep containers cool by spraying with water to prevent pressure building up inside the drums, causing them to burst.

### **Extinguishing Media**

Use water spray, 'alcohol' foam, dry chemical or carbon dioxide.  
Avoid using large quantities of water.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

### **Spills**

Slippery when spilled. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and/or eye contamination and the inhalation of mists or aerosols. Contain using sand or soil. Carefully dilute with water ( fine spray or fog ). Wash down area with excess water.

## **SECTION 7 – HANDLING AND STORAGE**

**Handling** : Avoid skin and eye contact

**Storage** : Under normal weather conditions store in a well-ventilated area.  
Keep containers closed at all times when not in use. Check regularly for leaks. Remove drum bungs slowly to release any internal pressure.

## **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Occupational Exposure Limits** : No value assigned for this specific material by the Occupational Health and Safety Commission

**Engineering Control Measures** : Natural ventilation should be adequate under normal use conditions, Keep containers closed when not in use.

### **Personal Protective Equipment** :

Eye: Safety glasses with side shields

Hands: Impervious plastic or rubber gloves.

Other: Overalls and protective footwear.

Respirator: Use with adequate ventilation.

Always wash hands before eating, drinking, smoking or using the toilet.

Wash contaminated clothing and other protective equipment before storage and reuse.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odour:	Opaque White Liquid	pH (as is):	4 to 6
Melting Point:	0oC	Flash Point:	Not applicable
Boiling Point:	100°C (approximately)	Volatiles	Water only
Density: @ 25°C	1.00 grams/mL (approximately)	Flammable Limits:	Not applicable
Solubility:	Miscible	Odour	Not applicable

## SECTION 10 – STABILITY AND REACTIVITY

**Stability** Incompatible with strong oxidising agents

**Reactivity** May react with strong oxidants.

## SECTION 11 – TOXOLOGICAL INFORMATION

### Health Effects

No adverse health effects expected if the material is handled in accordance with the Material Safety Data Sheet. Symptoms that may arise if the material is mishandled are :

### Acute Effects

Swallowing: The product is of low acute oral toxicity in the rat.  
May be harmful if swallowed

Eye: An eye irritant. Contamination of the eyes with may produce irritation

Skin: Irritating to skin. On repeated or prolonged skin contact may lead to irritant contact dermatitis.

Inhaled: Not normally a hazard due to the non-volatile nature of the product. The vapour or mist is irritating.

### Chronic Effects

Principal routes of exposure are by accidental skin or eye contact  
Prolonged or repeated skin contact may cause drying with cracking, irritation and possible contact dermatitis.

## SECTION 12 – ECOLOGICAL INFORMATION

Avoid contaminating waterways.  
Spills should be contained, absorbed by sand or earth and placed in sealed plastic or epoxy-lined drums for disposal

## SECTION 13 – DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority . Normally suitable for disposal at approved land waste site

## SECTION 14 – TRANSPORT INFORMATION

Not classified as a Dangerous Good by the Criteria of the Australian Dangerous Good Code

Proper Shipping Name :	Not required	UN Number :	Not applicable
Dangerous Goods Class :	Not applicable	Subsidiary Risk :	Not applicable
Hazchem Code :	Not applicable	Packing Group :	Not applicable

Issue No 3  
Issue Date : 08/04/2011

Page 3 of 4  
Prepared By :  
*Keith Sadlier*

## SECTION 15 – REGULATORY INFORMATION

<b>Classification</b>	Based upon information, not classified as non hazardous according to criteria of Safe Work Australia
<b>Poisons Schedule</b>	Not Applicable

## SECTION 16 – OTHER INFORMATION

### Contact Points

<u>Organisation</u>	<u>Location</u>	<u>Telephone</u>	<u>Ask For</u>
Tasman Chemicals Pty Ltd	Braeside, Victoria, Australia	(03) 9587 6777	Technical Manager
Poisons Information Centre		13 1126	

MSDS are updated frequently. Please ensure that you have a current copy.

*This MSDS summarises our best knowledge of the health and safety hazard information of the product; how to safely handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Tasman Chemicals Pty Ltd. Our responsibility for products sold are subject to our standard terms and conditions, a copy of which appears on all invoices. It is also available on request. Where health or safety data given discloses a risk to the user or environment, it is the responsibility of the Purchaser to pass on that information to employees or those who may be using the product, ensuring that adequate safety procedures are used including good industrial hygiene.*