



TASMAN CHEMICALS

"Tasman trusted products"

# MATERIAL SAFETY DATA SHEET

## RIPPER STRIPPER

### SECTION 1 – IDENTIFICATION

**Product Name**                      **RIPPER STRIPPER**

**Recommended Use**                **Floor Polish Stripper**

**Supplier**                              TASMAN CHEMICALS PTY LTD  
**ACN :**                                    005 072 659  
**Street Address**                      1-7 Bell Grove, Braeside ,  
   Victoria 3195 AUSTRALIA

**Telephone Number**                (03) 9587 6777  
**Facsimilie**                            (03) 9587 5255  
**Email**                                  taschem@taschem.com.au  
**Website**                                www.tasmanchemicals.com.au

**Emergency Telephone Number**      1 800 334 556

### SECTION 2 – HAZARDS IDENTIFICATION

**Hazardous according to criteria of Safe Work Australia.**

Hazard Category :      Xi      (Irritant)

#### Risk Phrases

R36/38                      Irritating to eyes and skin.

#### Safety Phrases

S1/2                      Keep locked up and out of reach of children  
S26                      In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or the Poisons Information Centre.  
S36/37/39                Wear suitable protective clothing, gloves and eye/face protection.  
S45                      In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

**Ripper Stripper** is not classified as a **Dangerous Good** according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredient</u>	<u>CAS Number</u>	<u>Proportion (%m/m)</u>
Water	7732-18-5	VH
Sodium Hydroxide	1310-73-2	L
Ethylene Glycol Phenyl Ether	122-99-6	M
Non Ionic Surfactant	39464-66-9	L
Monoethanolamine	141-43-5	L
Perfume	Propietary	L

**VH>60%   H>30-60%   M=10-30%   L=<10%**



Peak Limitation : For some rapidly acting substances and irritants, the averaging of airborne concentration over an eight hour period is inappropriate. These substances may induce acute effects after relatively brief exposure to high concentrations and so the exposure standard for these substances represents a maximum or peak concentration to which workers may be exposed.

STEL (Short Term Exposure Limit): the average airborne concentration over a 15 minute period that should not be exceeded at any time during a normal eight-hour work day.

NOTICE : Absorption through the skin may be a significant source of exposure

**Engineering Control Measures** : Natural ventilation should be adequate under normal use conditions, Keep containers closed when not in use.

**Personal Protective Equipment** :

Eye: Safety glasses with side shields

Hands: Impervious plastic or rubber gloves.

Other: Overalls and protective footwear.

Respirator: Use with adequate ventilation.

Always wash hands before eating, drinking, smoking or using the toilet.

Wash contaminated clothing and other protective equipment before storage and reuse.

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Odour:	Pale Amber Liquid	pH (as is):	12 to 13
Melting Point:	0oC	Flash Point:	Not applicable
Boiling Point:	100°C (approximately)	Volatiles	Water only
Density: @ 25°C	1.06 grams/mL (approximately)	Flammable Limits:	Not applicable
Solubility:	Miscible		

**SECTION 10 – STABILITY AND REACTIVITY**

**Stability** Incompatible with strong oxidising agents

**Reactivity** May react with strong oxidants.

**SECTION 11 – TOXOLOGICAL INFORMATION**

**Health Effects**

No adverse health effects expected if the material is handled in accordance with the Material Safety Data Sheet. Symptoms that may arise if the material is mishandled are :

**Acute Effects**

Swallowing: This product is irritating to the gastro-intestinal tract. Ingestion may result in nausea, abdominal irritation, pain and vomiting.

Eye: An eye irritant. Contamination of the eyes with may produce corneal damage

Skin: Irritating to skin. On repeated or prolonged skin contact may lead to irritant contact dermatitis.

Inhaled: Not normally a hazard due to the non-volatile nature of the product. The vapour or mist is irritating.

### **Chronic Effects**

Principal routes of exposure are by accidental skin or eye contact. Prolonged or repeated skin contact may cause drying with cracking, irritation and possible contact dermatitis.

### **SECTION 12 – ECOLOGICAL INFORMATION**

Avoid contaminating waterways. Spills should be contained, absorbed by sand or earth and placed in sealed plastic or epoxy-lined drums for disposal

### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Refer to Waste Management Authority . Normally suitable for disposal at approved land waste site

### **SECTION 14 – TRANSPORT INFORMATION**

Not classified as a Dangerous Good by the Criteria of the Australian Dangerous Good Code

Proper Shipping Name :	Not required	UN Number :	Not applicable
Dangerous Goods Class :	Not applicable	Subsidiary Risk :	Not applicable
Hazchem Code :	Not applicable	Packing Group :	Not applicable

### **SECTION 15 – REGULATORY INFORMATION**

**Classification** Based upon information, not classified as hazardous according to criteria of Safe Work Australia

**Poisons Schedule** Schedule 6

### **SECTION 16 – OTHER INFORMATION**

Contact Points

<b><u>Organisation</u></b>	<b><u>Location</u></b>	<b><u>Telephone</u></b>	<b><u>Ask For</u></b>
Tasman Chemicals Pty Ltd	Braeside, Victoria, Australia	(03) 9587 6777	Technical Manager

Poisons Information Centre 13 1126

MSDS are updated frequently. Please ensure that you have a current copy.

*This MSDS summarises our best knowledge of the health and safety hazard information of the product; how to safely handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Tasman Chemicals Pty Ltd. Our responsibility for products sold are subject to our standard terms and conditions, a copy of which appears on all invoices. It is also available on request. Where health or safety data given discloses a risk to the user or environment, it is the responsibility of the Purchaser to pass on that information to employees or those who may be using the product, ensuring that adequate safety procedures are used including good industrial hygiene.*